Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	matthewson-peter.in. and @pd>"20040930"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/03 15:48
L2	1	matthewson-p.in. and @pd>"20040930"	DERWENT	OR	OFF	2005/01/03 15:53
L3	92	(902/27.ccls. 235/449.ccls. 235/462.01.ccls. 235/462.02.ccls. 235/462.16.ccls. 235/493.ccls. 235/494.ccls.) and @pd>"20040930"	US-PGPUB; USPAT	OR	OFF	2005/01/03 15:54
L4	1	(width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3 sequence formula) near5 encod$3 near5 (information data) and @pd>"20040930"	US-PGPUB; USPAT	OR	OFF	2005/01/03 16:45
L5	0	(width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3 sequence formula) near5 encod$3 near5 (information data) and @pd>"20040930"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:45
L6	2	(width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3) near5 (sequence formula) and @pd>"20040930"	US-PGPUB; USPAT	OR	OFF	2005/01/03 16:46
L7	0	(width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3) near5 (sequence formula) and @pd>"20040930"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:47
L8	1	(barcode dataform magnetic$4 ((bar optical readable) adj1 (code indicia label tag symbol symbology))) near5 (width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3 sequence formula) and @pd>"20040930"	US-PGPUB; USPAT	OR	OFF	2005/01/03 16:48
L9	0	(barcode dataform magnetic$4 ((bar optical readable) adj1 (code indicia label tag symbol symbology))) near5 (width$1 size$1) near5 spac$3 near5 (varie$1 variable deriv$3 calculat$3 sequence formula) and @pd>"20040930"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:48
L10	9	("4761544" | "5001458" | "5029291" | "5369260" | "5650236" | "5821859" | "5831532" | "5917170" | "6118271").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 16:49

| L11 | 0 | ("6817536").URPN. | USPAT | OR | OFF | 2005/01/03 16:53 |